

# PumpEng

## Raptor



# *Old Faithful in Underground Mine Dewatering*

Developed in consultation with the Australia Mining Industry and wholly manufactured by PumpEng for the Underground Mining Industry. Proudly Australian Made.

Parts interchangeable with Flygt® BIBO range. The Raptor is available in 1000V, 600V and 415V in both 50Hz and 60Hz.



## **Benefits of Raptor® for Mining Operations**



### **Performance**

Increase mine performance, productivity and profit by reducing breakdowns and delays.



### **Safety**

Reduce workplace hazards by reducing the number of breakdowns.



### **Cost**

Reduce equipment lifecycle cost by increasing total pump life.



About Us

PumpEng® is an Australian owned and operated business with a proud history of manufacturing and supplying submersible pumps to the underground and surface mining sector.

Our well-known Raptor® pumps and parts are Australian designed and manufactured.


We formed PumpEng® to improve the design of mass-produced pump components for Australian operating conditions. We consulted with Australian maintenance and mining staff and used our own expertise gained through our long association with the mining industry.

We manufacture in small batch runs using special materials to allow for quick design changes so we can reduce operating and maintenance costs through innovative design.

Our results and a long list of satisfied clients that have joined us on the journey to a good day at work is testimony to this.



Power Curves (50Hz & 60Hz)



Raptor® Specifications

Model	Kw	Discharge	Voltage	Solids Passage in mm	Max Head in m	Max Flow l/s	Max Diameter mm	Height mm	Weight kg
PE0512291	5	50mm	415V	8	41	15	350	550	57
PE0512491	5	50mm	600V	8	41	15	350	550	57
PE0512391	5	50mm	1000V	8	41	15	350	550	57
PE0812291	8	80mm	415V	8	72	14	380	720	105
PE0812491	8	80mm	600V	8	72	14	380	720	105
PE0812391	8	80mm	1000V	8	72	14	380	720	105
PE2012291	20	100mm	415V	8	74	39	520	765	185
PE2012491	20	100mm	600V	8	74	39	520	765	185
PE2012391	20	100mm	1000V	8	74	39	520	765	185

Motor Specifications	
Pole	2-Pole
Insulation Class	Class F/H
Motor Power Details	1000V, 600V, 415V 50 or 60 cycle
Max Liquid Temp	Fluid at 40°C
Max Submergence	22m

Pump Specifications	
Impeller	27 Chrome or CD4
Wear Parts	Polyurethane Lined
Mechanical Seal	Sic-Sic
Bearing	Heavy duty bearings
Outer Jacket	Aluminium or Stainless Steel
Shaft	Stainless Steel

Full Service Provider



PumpEng® offers a full range of services for submersible pumps including:

- Hire
- Spare Parts
- Repairs
- Ongoing Support

# PumpEng

***Tough Submersible Pumps***

## ***Explore Your Options***

### **PumpEng Pty Ltd**



**Perth**

**(08) 9434 9922**

**1/18 Renewable Chase  
Bibra Lake WA 6163**



**Kalgoorlie**

**(08) 9021 5965**

**55 Oroya st  
Boulder WA 6430**



**Adelaide**

**Coming 2021**

**PO Box 1122**

**Bibra Lake 6965**



**Townsville**

**(07) 4766 3160**

**54 Southwood Road  
Stuart QLD 4811**

### **Email Direct**



**sales@pumpeng.com.au**



**pumpeng.com.au**

### **International Distribution Network**



\*PumpEng® is not an authorised distributor of parts or services for the products of ITT-Flygt. PumpEng® products are not associated with, endorsed by or sponsored by ITT-Flygt. Any use of the Flygt® name, trademarks, model no, item no or part no is for reference purposes only. \*Flygt® is a registered trademark of ITT Flygt Corporation, Trumbull, CT.